ICE MAKE

Trusted Cooling Partner

Precision Cooling to Preserve freshness



www.icemakeindia.com

VISI Cooler

Temp. Range: **+2°C To +8°C**

Model No.
IMVC 300

External Dimensions(mm)
520W X 722D X 1673H

Internal Dimensions(mm)
440W X 622D X 1235H

Gross Volume
333 Liters

No. of Shelves.
4

Wheels
Castor



Model No.
IMVC 450

External Dimensions(mm)
580W X 722D X 1990H

Internal Dimensions(mm)
500W X 622D X 1490H

Gross Volume
457 Liters

No. of Shelves.
5

Wheels
Castor



Model No.
IMVC 550

External Dimensions(mm)
580W x 775D x 2200H

Internal Dimensions(mm)
500W X 677D X 1700H

Gross Volume
569 Liters

No. of Shelves.
6

Wheels
Castor



Model No.
IMVC 675

External Dimensions(mm)
700W X 775D X 2200H

Internal Dimensions(mm)
620W X 677D X 1640H

Gross Volume
681 Liters

No. of Shelves.
5

Wheels
Castor



VISI Cooler

Temp. Range: **+2°C To +8°C**

Model No.
IMVC 900

External Dimensions(mm)
1180W X 722D X 1900H

Internal Dimensions(mm)
1100W X 622D X 1490H

Gross Volume
1009 Liters

No. of Shelves.
8

Wheels
Castor



Model No.
IMVC 1100

External Dimensions(mm)
1180W X 775D X 2200H

Internal Dimensions(mm)
1100W X 677D X 1700H

Gross Volume
1256 Liters

No. of Shelves.
10

Wheels
Castor



ICE MAKE

Trusted Cooling Partner

Network

- Head Office & Maufacturing Plant-I, Dantali, Gandhinagar, Gujarat
- Manufacturing Plant-II, Bavla, Gujarat
- Manufacturing Plant-III, Vamaj, Gujarat
- Manufacturing Plant-IV, Chennai, Tamilnadu
- Manufacturing Plant-V, Kolkata, West Bengal

Branch Offices, Dealers & Associates and Company Representatives



Head office:
226, Dantali Industrial Estate, Gota-Vadsar Road,
Nr. Ahmedabad City, At-Dantali, Ta: Kalol,
Dist.: Gandhinagar - 382721, Gujarat, India.
Ph.: +91 9879107881/884

Factory:
Super Industrial Park, Survey No. 246/2-262,
Bhayla - Sakodara Road, Dhanwada,
Bavla, Ahmedabad-382220 (Gujarat)

West & East Zone	South Zone	North Zone	UP & Uttarakhand
+91 95120 10324	+91 95120 25583	+91 95120 25401	+91 99988 31397

ICE MAKE REFRIGERATION LIMITED

Commercial & Industrial Refrigeration Equipment Manufacturer & Exporter
An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Company.

www.icemakeindia.com

ICE MAKE

Trusted Cooling Partner

COOLING SOLUTIONS YOU CAN TRUST ON



www.icemakeindia.com

HARD TOP FREEZERS

Temperature Range : - +3°C To -25 °C

Model No.: IHT-175 SD



Net Volume (Ltrs.):	Dimension (mm):
130	640 W x 640 D x 885 H
No.of Baskets:	**Insulation:**
1	70 mm Polyurethane

Model No.: IHT-250 SD



Net Volume (Ltrs.):	Dimension (mm):
210	875 W x 640 D x 885 H
No.of Baskets:	**Insulation:**
1	70 mm Polyurethane

Model No.: IHT-350 DD

(Also Available in Copper)



Net Volume (Ltrs.):	Dimension (mm):
305	1160 W,x 640 D x 885 H
No.of Baskets:	**Insulation:**
1	70 mm Polyurethane

HARD TOP FREEZERS

Temperature Range : - +3°C To -25 °C

Model No.: IHT-450 DD

(Also Available in Copper)



Net Volume (Ltrs.):	Dimension (mm):
405	1460 W x 640 D x 885 H
No.of Baskets:	Insulation:
1	70 mm Polyurethane

Model No.: IHT-550 DD

(Also Available in Copper)



Net Volume (Ltrs.):	Dimension (mm):
505	1760 W x 640 D x 885 H
No.of Baskets:	Insulation:
2	70 mm Polyurethane

Model No.: IHT-650 TD

(Also Available in Copper)



Net Volume (Ltrs.):	Dimension (mm):
600	2045 W x 640 D x 885 H
No.of Baskets:	Insulation:
2	70 mm Polyurethane

HARD TOP FREEZERS

Temperature Range : -12°C To -25 °C

100% COPPER COOLING COIL

Model No.: IHT-850 TDCU *

(Only Freezer Application)
(Also Available in Aluminium)



Net Volume (Ltrs.): 750

Dimension (mm): 2015 W x 750 D x 960 H

Insulation: 70 mm Polyurethane

100% COPPER COOLING COIL

Model No.: IHT-1000 TDCU *

(Only Freezer Application)
(Also Available in Aluminium)



Net Volume (Ltrs.): 900

Dimension (mm): 2350 W x 750 D x 960 H

Insulation: 70 mm Polyurethane

*Star Rating is under Development

COMBI FREEZERS

Temperature Range : Freezer side- -15°C To -25 °C Cooler side- 2°C To 8 °C

Model No.: IFC-425 DD



Net Volume (Ltrs.):	Dimension (mm):
Freezer-172 LTR./ Cooler-208 LTR.	1460 W x 640 D x 885 H
No.of Baskets:	Insulation:
1	70 mm Polyurethane

Model No.: IFC-525 DD



Net Volume (Ltrs.):	Dimension (mm):
Freezer-230 LTR./ Cooler-265 LTR.	1760 W x 640 D x 885 H
No.of Baskets:	Insulation:
1	70 mm Polyurethane

GLASS TOP FREEZERS

Temperature Range : -12°C to -25°C

Model No.: IGT-350 FG



Net Volume (Ltrs.):	Dimension (mm):
268	1160 W x 640 D x 885 H
No.of Baskets:	**Insulation:**
1	70 mm Polyurethane

Model No.: IGT-450 FG



Net Volume (Ltrs.):	Dimension (mm):
356	1460 W x 640 D x 885 H
No.of Baskets:	**Insulation:**
2	70 mm Polyurethane

Model No.: IGT-550 FG



Net Volume (Ltrs.):	Dimension (mm):
445	1760 W x 640 D x 885 H
No.of Baskets:	**Insulation:**
3	70 mm Polyurethane

FREEZER ON WHEELS (GLYCOL)

Temperature Range : -18°C to -30°C
Application : Ice Cream and Frozen Food Storage

Model No.: GLY-100



Net Volume (Ltrs.):	Dimension (mm):
100	940 W x 635 D x 711 H

Door:	Type:
1	Tank in Tank

Model No.: GLY-200



Net Volume (Ltrs.):	Dimension (mm):
200	990 W x 660 D x 812 H

Door:	Type:
2	Tank in Tank

ICE MAKE

Trusted Cooling Partner

Network

- Head Office & Maufacturing Plant-I, Dantali, Gandhinagar, Gujarat
- Manufacturing Plant-II, Bavla, Gujarat
- Manufacturing Plant-III, Vamaj, Gujarat
- Manufacturing Plant-IV, Chennai, Tamilnadu
- Manufacturing Plant-V, Kolkata, West Bengal
- Branch Offices, Dealers & Associates and Company Representatives



Head office:
226, Dantali Industrial Estate, Gota-Vadsar Road,
Nr. Ahmedabad City, At-Dantali, Ta: Kalol,
Dist.: Gandhinagar - 382721, Gujarat, India.
Ph.: +91 9879107881/884

Factory:
Super Industrial Park, Survey No. 246/2-262,
Bhayla - Sakodara Road, Dhanwada,
Bavla, Ahmedabad-382220 (Gujarat)

West & East Zone	South Zone	North Zone	UP & Uttarakhand
+91 95120 10324	+91 95120 25583	+91 95120 25401	+91 99988 31397

ICE MAKE REFRIGERATION LIMITED

Commercial & Industrial Refrigeration Equipment Manufacturer & Exporter
An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Company.

www.icemakeindia.com

INNOVATION

THAT POURS FRESHNESS



ICE MAKE
Trusted Cooling Partner

www.icemakeindia.com

Water Coolers

Model
IMWC-20-40

Model
IMWC-40-80



IMWC-20-40

Item	Units	Specifications
Water Cooling Capacity	Ltrs./hr	20
Water Storage Volume	Ltrs.	40
Outer Cabinet	Material	SS-304
Inner Water Tank	Material	SS-304
Insulation	mm	High Density Environmental friendly PUF - 40mm
Incoming Water System	-	Float Valve controlled, for automatic filling
Number of Faucets	nos.	1
Approx. Glass Capacity	nos.	115
Refrigerant	Type	R-134a
Size (W x L x H)	Inches	(558 X 415 X 1237)
(Gross) Weight (approx.)	Kg	50kg

IMWC-40-80

Item	Units	Specifications
Water Cooling Capacity	Ltrs./hr	40
Water Storage Volume	Ltrs.	80
Outer Cabinet	Material	SS-304
Inner Water Tank	Material	SS-304
Insulation	mm	High Density Environmental friendly PUF - 40mm
Incoming Water System	-	Float Valve controlled, for automatic filling
Number of Faucets	nos.	2
Approx. Glass Capacity	nos.	235
Refrigerant	Type	R-134a
Size (W x L x H)	Inches	(610 X 640 X 1237)
(Gross) Weight (approx.)	Kg	65kg

Water Coolers

Model
IMWC-60-80



Model
IMWC-150-150



IMWC-60-80

Item	Units	Specifications
Water Cooling Capacity	Ltrs./hr	60
Water Storage Volume	Ltrs.	80
Outer Cabinet	Material	SS-304
Inner Water Tank	Material	SS-304
Insulation	mm	High Density Environmental friendly PUF - 40mm
Incoming Water System	-	Float Valve controlled, for automatic filling
Number of Faucets	nos.	2
Approx. Glass Capacity	nos.	350
Refrigerant	Type	R-134a
Size (W x L x H)	Inches	(610 X 640 X 1237)
(Gross) Weight (approx.)	Kg	70kg

IMWC-150-150

Item	Units	Specifications
Water Cooling Capacity	Ltrs./hr	150
Water Storage Volume	Ltrs.	150
Outer Cabinet	Material	SS-304
Inner Water Tank	Material	SS-304
Insulation	mm	High Density Environmental friendly PUF - 40mm
Incoming Water System	-	Float Valve controlled, for automatic filling
Number of Faucets	nos.	3
Approx. Glass Capacity	nos.	880
Refrigerant	Type	R-134a
Size (W x L x H)	Inches	(820 X 815 X 1237)
(Gross) Weight (approx.)	Kg	120kg

ICE MAKE

Trusted Cooling Partner

Network

- Head Office & Manufacturing Plant-I, Dantali, Gandhinagar, Gujarat
- Manufacturing Plant-II, Bavla, Gujarat
- Manufacturing Plant-III, Vamaj, Gujarat
- Manufacturing Plant-IV, Chennai, Tamilnadu
- Manufacturing Plant-V, Kolkata, West Bengal

Branch Offices, Dealers & Associates and Company Representatives



Head office:
226, Dantali Industrial Estate, Gota-Vadsar Road, Nr. Ahmedabad City, At-Dantali, Ta: Kalol, Dist.: Gandhinagar - 382721, Gujarat, India.

Ph.: +91 9879107881/884

Factory:
Super Industrial Park, Survey No. 246/2-262, Bhayla - Sakodara Road, Dhanwada, Bavla, Ahmedabad-382220 (Gujarat)

West & East Zone
+91 95120 10324

South Zone
+91 95120 25583

North Zone
+91 95120 25401

UP & Uttarakhand
+91 99988 31397

ICE MAKE REFRIGERATION LIMITED

Commercial & Industrial Refrigeration Equipment Manufacturer & Exporter
An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Company.

ICE MAKE

Trusted Cooling Partner



Stay FRESH
Stay COOL

www.icemakeindia.com

Reach in Chiller / Freezer





Model Name	IMRC-600 Reach In Chiller 600L, 2 Door	IMRC-1200 Reach In Chiller 1200L, 4 Door	IMRF-600 Reach In Freezer 600L, 2 Door	IMRF-1200 Reach In Freezer 1200L, 4 Door
Capacity In Ltrs	600	1200	600	1200
Temperature Range °C	2 to 8 °C	2 to 8 °C	-18 to -22 °C	-18 to -22 °C
No. of Doors	2	4	2	4
Cabinet and Doors (Int/Ext)	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Shelves Qty	3	6	3	6
Refrigerant	R-290	R-290	R-290	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz	230V AC & 50 Hz	230V AC & 50 Hz	230V AC & 50 Hz
Power (Watts)	290	365	395	610
Current (Amps)	2.1	2.1	2.2	2.9
Defrost	Automatic On Cycling	Automatic On Cycling	Automatic with Heater	Automatic with Heater
External Dimension (WxDxH) mm	680 x 710 x 2010	1200 x 760 x 2010	680 x 710 x 2010	1200 x 760 x 2010
Net Weight (Kg)	90	140	92	150
Gross Weight (Kg)	107	160	109	180

ICE MAKE
Trusted Cooling Partner

Under Counter



Model Name	IMUC-2D Under Counter Chiller 2 Door	IMUC-3D Under Counter Chiller 3 Door
Capacity In Ltrs	196	380
Temperature Range °C	2 to 8 °C	2 to 8 °C
No. of Doors	2	3
Cabinet and Doors (Int/Ext)	Stainless Steel	Stainless Steel
Shelves Qty	2	3
Refrigerant	R-290	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz	230V AC & 50 Hz
Power (Watts)	240	250
Current (Amps)	1.7	1.8
Defrost	Automatic On Cycling	Automatic On Cycling
External Dimension (WxDxH) mm	1200 x 700 x 850	1800 x 700 x 850
Net Weight (Kg)	75	95
Gross Weight (Kg)	87	112